FOR MYSORE STATE

Public (1954) Department.

Rs SERIES.

G.O. NO. 410

410

Dated 20/7/54

Passed
20/7/54
H. Supdt

[Despatch Abstract:]

Community Projects - South Kanara Project Area - Block II Communications - Construction of a foot bridge at Arekal in Valpady Village - Estimate sanctioned by the Project Executive officer Mangalore for Rs 775/- Papers rec'd

DIRECTOR OF COMMUNITY PROJECTS & EX-OFFICIO ARY
2 JUL 1954

91265

Sanction is accorded to an expenditure not exceeding Rs. (2775/-) two thousand seven hundred and seventy five only being three fourth of the estimated cost Rs. 3700/- for the construction of a boat house at Valmedu village in Mandapam T.T. The balance of Rs.925/- required to complete the work will be met by the beneficiaries themselves. The work is included in the additional list to be taken up in the current year as approved by the Project Sub Committee in its meeting on 21-1-54. The question of the payment of the relevant instalment in the current year and against the target for that purpose will be considered.

The expenditure is debitable to '53. Community Development Projects - I.Co-operation - 1.Works.'

28/6.

Addressed to the Director of Community Projects, Madras. (Attention: with a copy of the sanction and estimate.
Copy to Secretary, C.P.A. Ashramam, New Delhi.
Accountant General, Madras.
Collector of South Arcot, Cuddalore.
Executive Engineer (C.D.) with estimate.
Project Assistant (Personal) (2 copies)

D.P.H II-14. 20,006—20-12-52.

ORIGINAL.

K ಫಾರ್ಮ್ (36 ನೇ ಅನುಚ್ಛೇದ).

ನೋಟೀಸು.

1920 ನೇ ಇಸವಿಯ ಮದ್ರಾಸ್ ಲೋಕಲ್ ಬೋರ್ಡುಗಳ ಆಕ್ಟಿನ 187 ನೇ ಮತ್ತು 200 ನೇ ಪ್ರಕರಣಗಳ ಮೇರೆಗಿನ ಕ್ರಮಗಳು.

ನ

ಗೆ

ಹೆತ್ತವ / ಸಂರಕ್ಷಕ ನಾದ

ಮಗುವಿನ ಹೆಸರು

ವಯಸ್ಸು

ವಾಸಸ್ಥಳ

ಗ್ರಾಮ ಮುಖ್ಯಸ್ಥನಿಂದ / ಯೂನಿಯನ್ ಪ್ರೆಸಿಡೆಂಟನಿಂದ ಕೊಡಲ್ಪಟ್ಟ ನೋಟಿಸ್ಸಿಗನುಸಾರ

ವಾಗಿ ಮೇಲಿನ ಮಗುವನ್ನು ದಾಕಲು ಮಾಡಲ್ಪಡುವ / ಸಂದರ್ಶಿಸಲ್ಪಡುವ ಬಗ್ಗೆ ಸಾಧಾರಣವಾಡಲು

ನೀನು ತಪ್ಪಿರುವುದರ ದೆಸೆಯಿಂದ, 19 ನೇ ಇಸವಿ

ಲ್ಲಿ ಪ್ರೊವಾಹ್ಯ / ಉಪರಾಹ್ನ ಲ್ಲಿ ಲ್ಲಿ ದಾಕಲು ಮಾಡಲ್ಪ / ಸಂದರ್ಶಿಸಲ್ಪ

ಡುವ / ಡುವ ಬಗ್ಗೆ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡಿಬೇಕಾಗಿ ನಿನಗೆ ಈ ಮೂಲಕ ವಿಧಿಸೋಣವಾಗುತ್ತಿದೆ; ನೀನು ಮೇಲಿನ ಕಾಲದಲ್ಲಿ ಮತ್ತು ವೇಳೆಯಲ್ಲಿ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡದಿದ್ದು, ಆ ಕುರಿತು ಸಮರ್ಪಕವಾದ ಸಬೂಬು ತೋರಿಸಲು ತಪ್ಪಿದ ಪಕ್ಷದಲ್ಲಿ, ಮೇಲಿನ ಕ್ರಮಗಳ ಮೇರೆಗೆ ನೀನು ಶಿಕ್ಷಾರ್ಹನೆಂದು ತೀರ್ಮಾನ ಮಾಡಲ್ಪಡುವ ಪಕ್ಷದಲ್ಲಿ, ಬೇಲಿನ ಕೈಮಾಳ್ಗಳ ಮೊದಲಿಗೆ ನೀನು ಶಿಕ್ಷಾರ್ಹನಾಗುವೆಯೆಂದು ತಿಳಿಯುವುದು.

D.P.H. II-14.

DUPLICATE.

K ಫಾರ್ಮ್ (36 ನೇ ಅನುಚ್ಛೇದ).

ನೋಟೀಸು.

1920 ನೇ ಇಸವಿಯ ಮದ್ರಾಸ್ ಲೋಕಲ್ ಬೋರ್ಡುಗಳ ಆಕ್ಟಿನ 187 ನೇ ಮತ್ತು 200 ನೇ ಪ್ರಕರಣಗಳ ಮೇರೆಗಿನ ಕ್ರಮಗಳು.

ನ

ಗೆ

ಹೆತ್ತವ / ಸಂರಕ್ಷಕ ನಾದ

ಮಗುವಿನ ಹೆಸರು

ವಯಸ್ಸು

ವಾಸಸ್ಥಳ

ಗ್ರಾಮ ಮುಖ್ಯಸ್ಥನಿಂದ / ಯೂನಿಯನ್ ಪ್ರೆಸಿಡೆಂಟನಿಂದ ಕೊಡಲ್ಪಟ್ಟ ನೋಟಿಸಿಗನುಸಾರ

ವಾಗಿ ಮೇಲಿನ ಮಗುವನ್ನು ದಾಕಲು ಮಾಡಲ್ಪಡುವ / ಸಂದರ್ಶಿಸಲ್ಪಡುವ ಬಗ್ಗೆ ಜಾಹೀರುಮಾಡಲು

ನೀನು ತಪ್ಪಿರುವುದರ ದೆಸೆಯಿಂದ, 19 ನೇ ಇಸವಿ

ಲ್ಲಿ ಪ್ರೊವಾಹ್ಯ / ಉಪರಾಹ್ನ ಲ್ಲಿ ಲ್ಲಿ ದಾಕಲು ಮಾಡಲ್ಪ / ಸಂದರ್ಶಿಸಲ್ಪ

ಡುವ / ಡುವ ಬಗ್ಗೆ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡಬೇಕಾಗಿ ನಿನಗೆ ಈ ಮೂಲಕ ವಿಧಿಸೋಣವಾಗುತ್ತಿದೆ; ನೀನು ಮೇಲಿನ ಕಾಲದಲ್ಲಿ ಮತ್ತು ವೇಳೆಯಲ್ಲಿ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡದಿದ್ದು, ಆ ಕುರಿತು ಸಮರ್ಪಕವಾದ ಸಬೂಬು ತೋರಿಸಲು ತಪ್ಪಿದ ಪಕ್ಷದಲ್ಲಿ, ಮೇಲಿನ ಕ್ರಮಗಳ ಮೇರೆಗೆ ನೀನು ಶಿಕ್ಷಾರ್ಹನೆಂದು ತೀರ್ಮಾನ ಮಾಡಲ್ಪಡುವ ಪಕ್ಷದಲ್ಲಿ, ಮೇಲಿನ ಕೈಮಾಳ್ಗಳ ಮೊದಲಿಗೆ ನೀನು ಶಿಕ್ಷಾರ್ಹನಾಗುವೆಯೆಂದು ತಿಳಿಯುವುದು.

D.P.H. II-14

TRIPLICATE.

K ಫಾರ್ಮ್ (36 ನೇ ಅನುಚ್ಛೇದ).

ನೋಟೀಸು.

1920 ನೇ ಇಸವಿಯ ಮದ್ರಾಸ್ ಲೋಕಲ್ ಬೋರ್ಡುಗಳ ಆಕ್ಟಿನ 187 ನೇ ಮತ್ತು 200 ನೇ ಪ್ರಕರಣಗಳ ಮೇರೆಗಿನ ಕ್ರಮಗಳು.

ನ

ಗೆ

ಹೆತ್ತವ / ಸಂರಕ್ಷಕ ನಾದ

ಮಗುವಿನ ಹೆಸರು

ವಯಸ್ಸು

ವಾಸಸ್ಥಳ

ಗ್ರಾಮ ಮುಖ್ಯಸ್ಥನಿಂದ / ಯೂನಿಯನ್ ಪ್ರೆಸಿಡೆಂಟನಿಂದ ಕೊಡಲ್ಪಟ್ಟ ನೋಟಿಸಿ

ವಾಗಿ ಮೇಲಿನ ಮಗುವನ್ನು ದಾಕಲು ಮಾಡಲ್ಪಡುವ / ಸಂದರ್ಶಿಸಲ್ಪಡುವ ಬಗ್ಗೆ ಜಾಹೀರು

ನೀನು ತಪ್ಪಿರುವುದರ ದೆಸೆಯಿಂದ, 19 ನೇ ಇಸವಿ

ಲ್ಲಿ ಪ್ರೊವಾಹ್ಯ / ಉಪರಾಹ್ನ ಲ್ಲಿ ಲ್ಲಿ ದಾಕಲು / ಸಂದ

ಡುವ / ಡುವ ಬಗ್ಗೆ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡಿಬೇಕಾಗಿ ನಿನಗೆ ಈ ವಿಧಿಸೋಣವಾಗುತ್ತಿದೆ; ನೀನು ಮೇಲಿನ ಕಾಲದಲ್ಲಿ ಮತ್ತು ವೇಳೆಯಲ್ಲಿ ಮಗುವನ್ನು ಹಾಜರುಮಾಡದಿದ್ದು, ಆ ಕುರಿತು ಸಮರ್ಪಕವಾದ ಸಬೂಬು ತಪ್ಪಿದ ಪಕ್ಷದಲ್ಲಿ, ಬೇಲಿನ ಕೈಮಾಳ್ಗಳ ಮೊದಲಿಗೆ ನೀನು ಶಿಕ್ಷಾರ್ಹನಾಗುವೆಯೆಂದು ತಿಳಿಯುವುದು.

Ref.C.No.735/54-B.

Proceedings of the Project Executive Officer, Mangalo
Dated 24-6-1954.
Sri.H.Narasimha.

COMMUNITY PROJECTS--South Kanara--Block II--Foot Bridge at Arabi in Valpady Village--Estimate--Sanctioned.

Sanction is accorded to an expenditure not exceeding Rs. (2775/-) two thousand seven hundred and seventy five only being three fourth of the estimated cost of Rs. 3700/- for the construction of a foot bridge at Ara in Valpady village in Block II. The balance of Rs.925/- required to complete the work will be met by the beneficia themselves. The work is included in the additional list o works to be added on to the overall programme and approved by the Project Executive Committee in its meeting on 19-1-1954. The sanction is counted against the relevant provisions in the overall programme and against the target of 33 foot bridges for this block.

The expenditure is debitable to '63.B.Community Development Projects - J.Communications - 1.Works.'

PROJECT EXECUTIVE OFFICER

Submitted to the Director of Community Projects, Madras. (2 copies) with a copy of the sanctioned estimate.
Copy to Secretary, C.P.A. Rastrapathi Bhavan, New Delhi.
Accountant General, Madras.
Collector of South Kanara, Mangalore.
Asst. Engineer (C.P.) with estimate.
Asst.Project Officer, Karkal (2 copies)
Accountant.
B-Clerk.
JC/27-6-54.

D.P.H. II-14. 20,006—20-12-52.

ORIGINAL.

K ಫಾರ್ಮ್ (36 ನೇ ಅನುಚ್ಛೇದ)

ನೋಟೀಸು-

1920 ನೇ ಇಸವಿಯ ಮದ್ರಾಸ್ ಲೋಕಲ್ ಬೋರ್ಡುಗಳ ಆಕ್ಟಿನ 187 ನೇ ಮತ್ತು 200 ನೇ ಪ್ರಕರಣಗಳ ಮೇರೆಗಿನ ಕ್ರಮಗಳು

ನ

ಹೆತ್ತವ / ಸಂರಕ್ಷಕ ನಾದ ಗೆ

ಮಗುವಿನ ಹೆಸರು

ವಯಸ್ಸು

ವಾಸಸ್ಥಳ

ಗ್ರಾಮ ಮುಖ್ಯಸ್ಥನಿಂದ / ಯೂನಿಯನ್ ಪ್ರೆಸಿಡೆಂಟನಿಂದ ಕೊಡಲ್ಪಟ್ಟ ನೋಟಿಸಿಗನುಸಾರ

ನಾನು ಮೇಲಿನ ಮಗುವನ್ನು ದತ್ತು ಹಾಕಲ್ಪಡುವ / ಸಂದರ್ಶಿಸಲ್ಪಡುವ ಬಗ್ಗೆ ಹಾಜರುಮಾಡಲು

ನೀನು ತಪ್ಪಿರುವುದರ ದೆಸೆಯಿಂದ, 19 ನೇ ಇಸವಿ

ಲ್ಲಿ ಪೂರ್ವಾಹ್ನ / ಅಪರಾಹ್ನ ಲ್ಲಿ ಲ್ಲಿ ದತ್ತು ಹಾಕಲ್ಪ / ಸಂದರ್ಶಿಸಲ್ಪ

ಡುವ / ಡುವ ಬಗ್ಗೆ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡಿಬೇಕಾಗಿ ನಿನಗೆ ಈ ಮೂಲಕ ವಿಧಿಸೋಣವಾಗುತ್ತಿದೆ; ನೀನು ಮೇಲಿನ ಕಾಲದಲ್ಲಿ ಮತ್ತು ವೇಳೆಯಲ್ಲಿ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡದಿದ್ದು, ಆ ಕುರಿತು ಸಮರ್ಪಕವಾದ ಸಬೂ ತೋರಿಸಲು ತಪ್ಪಿದ ಪಕ್ಷದಲ್ಲಿ, ಮೇಲಿನ ಕ್ರಮಗಳ ಮೇರೆಗೆ ನೀನು ಧಿಕ್ಕಾರದ ವ್ಯವಹಾರಣೆ ವಿಧಿಸಲ್ಪಡುವುದಕ್ಕೆ ಗುರಿಯಾಗುವೆಯೆಂದು ತಿಳಿಯಪಡಿಸಿದೆ.

D.P.H. II-14.

DUPLICATE.

K ಫಾರ್ಮ್ (36 ನೇ ಅನುಚ್ಛೇದ)

ನೋಟೀಸು-

1920 ನೇ ಇಸವಿಯ ಮದ್ರಾಸ್ ಲೋಕಲ್ ಬೋರ್ಡುಗಳ ಆಕ್ಟಿನ 187 ನೇ ಮತ್ತು 200 ನೇ ಪ್ರಕರಣಗಳ ಮೇರೆಗಿನ ಕ್ರಮಗಳು.

ನ

ಹೆತ್ತವ / ಸಂರಕ್ಷಕ ನಾದ ಗೆ

ಮಗುವಿನ ಹೆಸರು

ವಯಸ್ಸು

ವಾಸಸ್ಥಳ

ಗ್ರಾಮ ಮುಖ್ಯಸ್ಥನಿಂದ / ಯೂನಿಯನ್ ಪ್ರೆಸಿಡೆಂಟನಿಂದ ಕೊಡಲ್ಪಟ್ಟ ನೋಟಿಸಿಗನುಸಾರ

ನಾನು ಮೇಲಿನ ಮಗುವನ್ನು ದತ್ತು ಹಾಕಲ್ಪಡುವ / ಸಂದರ್ಶಿಸಲ್ಪಡುವ ಬಗ್ಗೆ ಹಾಜರುಮಾಡಲು

ನೀನು ತಪ್ಪಿರುವುದರ ದೆಸೆಯಿಂದ, 19 ನೇ ಇಸವಿ

ಲ್ಲಿ ಪೂರ್ವಾಹ್ನ / ಅಪರಾಹ್ನ ಲ್ಲಿ ಲ್ಲಿ ದತ್ತು ಹಾಕಲ್ಪ / ಸಂದರ್ಶಿಸಲ್ಪ

ಡುವ / ಡುವ ಬಗ್ಗೆ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡಿಬೇಕಾಗಿ ನಿನಗೆ ಈ ಮೂಲಕ ವಿಧಿಸೋಣವಾಗುತ್ತಿದೆ; ನೀನು ಮೇಲಿನ ಕಾಲದಲ್ಲಿ ಮತ್ತು ವೇಳೆಯಲ್ಲಿ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡದಿದ್ದು, ಆ ಕುರಿತು ಸಮರ್ಪಕವಾದ ಸಬೂ ತೋರಿಸಲು ತಪ್ಪಿದ ಪಕ್ಷದಲ್ಲಿ, ಮೇಲಿನ ಕ್ರಮಗಳ ಮೇರೆಗೆ ನೀನು ಧಿಕ್ಕಾರದ ವ್ಯವಹಾರಣೆ ವಿಧಿಸಲ್ಪಡುವುದಕ್ಕೆ ಗುರಿಯಾಗುವೆಯೆಂದು ತಿಳಿಯಪಡಿಸಿದೆ.

D.P.H. II-14.

TRIPLICATE.

K ಫಾರ್ಮ್ (36 ನೇ ಅನುಚ್ಛೇದ)

ನೋಟೀಸು-

1920 ನೇ ಇಸವಿಯ ಮದ್ರಾಸ್ ಲೋಕಲ್ ಬೋರ್ಡುಗಳ ಆಕ್ಟಿನ 187 ನೇ ಮತ್ತು 200 ನೇ ಪ್ರಕರಣಗಳ ಮೇರೆಗಿನ ಕ್ರಮಗಳು.

ನ

ಹೆತ್ತವ / ಸಂರಕ್ಷಕ ನಾದ

ಮಗುವಿನ ಹೆಸರು

ವಯಸ್ಸು

ವಾಸಸ್ಥಳ

ಗ್ರಾಮ ಮುಖ್ಯಸ್ಥನಿಂದ / ಯೂನಿಯನ್ ಪ್ರೆಸಿಡೆಂಟನಿಂದ ಕೊಡಲ್ಪಟ್ಟ ನೋಟಿಸಿಗನುಸ

ನಾನು ಮೇಲಿನ ಮಗುವನ್ನು ದತ್ತು ಹಾಕಲ್ಪಡುವ / ಸಂದರ್ಶಿಸಲ್ಪಡುವ ಬಗ್ಗೆ ಹಾಜರುಮಾಡ

ನೀನು ತಪ್ಪಿರುವುದರ ದೆಸೆಯಿಂದ, 19 ನೇ ಇಸವಿ

ಲ್ಲಿ ಪೂರ್ವಾಹ್ನ / ಅಪರಾಹ್ನ ಲ್ಲಿ ಲ್ಲಿ ದತ್ತು ಹಾಕ / ಸಂದರ್ಶಿಸ

ಡುವ / ಡುವ ಬಗ್ಗೆ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡಿಬೇಕಾಗಿ ನಿನಗೆ ಈ ಮೂ ವಿಧಿಸೋಣವಾಗುತ್ತಿದೆ; ನೀನು ಮೇಲಿನ ಕಾಲದಲ್ಲಿ ಮತ್ತು ವೇಳೆಯಲ್ಲಿ ಸದರೀ ಮಗುವನ್ನು ಹಾಜರುಮಾಡದಿದ್ದು, ಆ ಕುರಿತು ಸಮರ್ಪಕವಾದ ಸಬೂ ತೋರಿಸಲು ತಪ್ಪಿದ ಪಕ್ಷದಲ್ಲಿ, ಮೇಲಿನ ಕ್ರಮಗಳ ಮೇರೆಗೆ ನೀನು ಧಿಕ್ಕಾರದ ವ್ಯವಹಾರಣೆ ವಿಧಿಸಲ್ಪಡುವುದಕ್ಕೆ ಗುರಿಯಾಗುವೆಯೆಂದು ತಿಳಿಯಪಡಿಸಿದೆ.

DETAILED ESTIMATE. 421,104—17-11-32. C.P. 150 (1).

District South Kanara. **Taluk**

Village and Survey **Date and cost of original construction**

Name and number of work Constructing a Foot Bridge at ARBI IN Valapadi Village. **Date and cost of last repairs**

Details of work.	Number.	Measurement in feet. Length.	Breadth.	Depth.	Area or contents.	Total quantity of each description of work.
k work Excavating in all Soils excepting hard Rock requiring						
asking with in initial lead & lift & filling in Sides of						foundations.
. foundations of Abutments	2	7-0	7-0	15-0 av.	1470	
dexteria ft to ft Steps & R.S.	Toe wall of Revetment				530	
ment & broken Stone in	Cement Mortar	1:4:8			2000	2000 cft
ing 1½" hard blue granite	Stones.					
Under abutments -	2	7-0	7-0	0-6	49	
" Piers.	2	10-0	4-0	0-6	40	
-down Rubble in Cement Mortar		1:4			89	= 90 cft
for abutments -	2	6-0	6-0+2-0 / 2	16-0	768	
1st Step of Pier.	2	9-0	3-0	3-0	162	
Subs. of Pier.	2	8-0	2-0	11-0	352	
Cut Water Portion of Pier	2	2-0 / 2	1-0	11-0	22	
ar beams.	2	6-0	1-0	0-9	9	
Steps R Side.	1	3-0	6-0	0-6	9	
-do-	1	2-0	6-0	0-6	6	
-do-	1	1-0	6-0	0-6	3	
Left Side --	1	2-0	6-0	0-6	6	
-do-	1	1-0	6-0	0-6	3	
lra if found necessary	during excavation -				60	
					1400	1400 cft
ugh Stone dry Packing for	Abut. & revetments					
Sides of abutments	4	10-0	1-0	12-0	480	
Toe wall	4	10-0	2-0	2-0	160	
ast Country Wood Wrought & Pd up -					640 a	650 cft
ngitudinal beams	2x3	14-0	0-6	0-9	31·50	
Posts	2x7	2-6	0·3	0·3	2·20	
Struts	2x7	2-6	0·3	0·2	1·46	
Hand Rails	1x2	44-0	0·3	0·3	5·50	
Central H. Rail	1x2	4·4-0	0·3	0-1½	2·75	
Knees	1x2	1·4	1·3	0·3	5·50	
				Co	48·91	

Details of work.	Number.	Measurement of Feet. Length.	Breadth.	Depth.	Area or contents.	Total quantity of each description of work.

Assistant Engineer,
Community Projects,
S. K. MANGALORE,

Data Sheet to Accompany the Estimate for Constructing a Foot Bridge at ARBI - Velapadi Village.

Units	Description of Work	Rate Rs As Ps	Per	Amount Rs As Ps	TOTAL
1000 cft.	Earth Work excavating in all Soils except Hard Rock requiring blasting with a initial lead 1 lift & refilling at Sides of foundations.				
1000 cft.	S.I. 1.5-13.	21 6 -	1000 cft	21 6 -	21-6
100 cft.	Cement Mortar 1:4. Add 20% S.I. 45(c)				4-4
100 cft.	Sand Cost.	2 8 -	100 cft	2 8 -	25-4 or 25-0
"	- do - Carting.				
	1½ miles C.T. - 11-4-0				
	1 mile H.L. - 21-6-0				
	32.10-0	32 10 -	—"—	32 10 -	
25 cft.	Cement Cost.	87 8 -	25 cft.	87 8 -	
"	Cement Carting. 22 M.M.R + 9 M.C.T				
	for 3 M.M.R } - 25-12-6				
	" 17 M.M.R } - 34-0-0				
	" 5 M.C.T } - 30.15-0				
	" 4 M.C.T } - 8-6-5 / 99-1-11	98 11 6 / 99 1 9	100 cft	24 40 12 6	
100 cft	Mixing mortar	98-11-6 4 8 -	100 cft.	4 8 1-	
100 cft.	Cement Concrete - Broken Stones 1:4:8. Add 20% extra S.I. 33.9			152 - -	152/-
92 cft.	Broken Stones 1½"	23 - -	100 cft	12 14 5 / 21 2 7	164-1 or 164
"	- do - Carting 2. F. H.L.	6 14 -	—"—	6 5 2	
46 cft.	Cement Mortar 1:4 -	164 14 / 152 - -	—"—	69 14 5 / 68 14 8	
½ no	Mason 2nd Class.	2 12.	Each.	1 6 -	
5 nos	Man Mazdoor.	1 8 -	—"—	7 8 -	
4 nos	Woman —a—	- 13 -	—"—	3 4 -	
	Sundries -			0 4 6	
100 cft	Random Rubble in cement Mortar 1:4 S.I. 11. Add 20% extra			115 - -	115/2 8-0
110 cft	Rough Stones	16 - -	100 cft	17 9 7	123-0
"	- do - Carting as above	6 14 -	—"—	7 9 7	
34 cft	Cement Mortar 1:4.	164 14 / 152 - -	—"—	57 10 16 / 57 10 14	
5 nos	Man Mazdoor.	1 8.	Each	6 - -	
5 nos	Masons 2nd Class	2 12.	—"—	13 12 -	
4 nos	Woman Mazdoor.	- 13.	—"—	3 4 -	
	Sundries.	- - - - -		3 2 6	
100 sft	Pointing with Cement Mortar 1:4. Add 20% extra			100 8 - / 100 8 -	104-8 / 104/8 9-4
1 cft	Cement Mortar 1:4	164 14 / 152 - -	100 cft	1 8 4 / 1 8 4	114-
1½ no	Mason 2nd Class	2 12 -	Each	4 2 -	
½ no	Man Mazdoor	1 8 -	—"—	- 12 -	
1 no	Woman Mazdoors	- 13 -	—"—	- 13 -	
	Sundries	- - - - -		2 0 / 7 4	7-9 / 7/4/-
	Add 20% extra				

Qty	Description of work.	Rate Rs As Ps	Per	Amount Rs As Ps	Total
6) 100 sft	Rough stone dry packing for floor or Revetment				
110 cft	Rough stone.	16 - -	100 cft.	17 9 7	
	2. Cart as above	6 14 -	"	7 9 -	
1 no	Woddar.	3 - -	Each	3 - -	
3 nos	Man Mazdoor.	1 8 -	"	4 8 -	
2 nos	Woman Mazdoor.	- 13 -	"	1 10 -	
	Sundries -			- 3 5	
				34 8 -	~~34/8/-~~
	Add 20%.			6 14 5	41-6-0
7) 1 cft	Best Country wood worought & Put up.				
1 cft.	Country wood $\frac{47\frac{1}{2}+47\frac{1}{2}}{2}$	7 2 -	1 cft	7 2 -	
1/2 no	Carpenter 1st class	3 6 -	Each	1 11 -	
1 no.	Man Mazdoor.	1 8 -	"	1 8 -	
	Sundries.	- - - -		- 2 6	
				10 8 -	~~12/8/-~~
	Add 20% extra			2 1 7	12-10-0
8) 100 sft	Jarring with hot Coal tar				
8 1/2 lbs	Hot Coal tar.	- 4 -	lbs	2 2 -	
1 1/2 no	Man Mazdoor	1 8 -	Each	2 4 -	
Ls	Sundries for fuel, brushes	- - -		- 2 -	
				4 8 -	~~4/8/-~~
	Add 20% extra			0-4-0	5-6-0
9) Each	Supplying & fixing holding Bolts 2'-0" long made of 3/4" Iron M.S. Rod & fixed in Position.				
1 no	Holding Bar (Local Rate)	3 8 -	Each	3 8 -	3-8-0
10) 1 sft	Benching in granite Rock upto 4" depth				
18 sft	S.I. 7D	1 4 -	18 sft.	1 4 -	1-4-0
				1 4 -	

Certified that the leads allowed above is Correct to the best of My Knowledge.

Assistant Engineer,
Community Projects,
S.K. MANGALORE.

Surveyor (Cl.)
Mangalore 28/4/...

Quantity. (1)	Description of work. (2)	Item number in the schedule of rates. (3)	Rate. (4) Rs.	A.	P.	Per (5)	Total. (6) Rs.	A.	P.	Amount. (7) Rs.	A.	P.
2000 c/ft	Earth work excavation in all sorts except hard Rock requiring blasting or sides —		~~25~~ 21	10 ~~6~~		1000 c/ft	57 ~~48~~					
90 c/ft.	Concrete 1:4:8 with cement 1:4:8 mixed 1½" granite stone —		~~122~~ 110			100 c/ft	111 ~~99~~					
14400 c/ft	R.R. in cement Mortar 1:4 —		~~114~~ 100	3		— " —	1599 ~~1400~~					
650 c/ft	Rough Stone dry Pacing for slopes of Roads		~~41~~ 34	6		— " —	269 ~~224~~					
85 c/ft	Best County wood wrought Post of —		~~12~~ 10	9		1 c/ft	1109 ~~924~~					
1100 sft	Tarring with hot Coal Tar & Coke.		~~5~~ 4	6		100 sft	59 ~~50~~					
800 sft.	Painting with Oil over coats 1:4 —		~~8~~ 7	10		— " —	69 ~~60~~					
1 Rate	Supplying & fixing holding bolts 2'8" long complete 2½" Rods —		5	8		Each	42					
Lt.	Breaking Road for Pipe laying Trenches —						100					
Rs.	Clearing Site of Work Bush Jungle &c —						116 ~~159~~					
							175 ~~153~~					
	Supervision charges at 5 per cent.											

Grand total, Estimate — ~~3250~~ 3700/-

Divisional officer (or other countersigning officer to be named).

Assistant Director
Community Projects,
D.K. MANGALORE.

Sanctioned for 19 -19 5/9

Signature and designation of the officer submitting this estimate.

Survey Majdur 28/4/14

Collector or other sanctioning officer (to be named).

Tahsildar or other officer (to be named).

District

Taluk

Village No.

Name of Work

ESTIMATE ABSTRACT

Budget head

Main head

Sub-head

Amount of estimate

Sanction number and date

To be carried out by

4/ Agri (D

Memo No 91265 Agri (D VI) 54-1dt. 8-7-54

Sub:- Cls- S. Kanara Area- Block II- Communi
-cations- Construction of a foot-bridge at Hos
in Valpady Village- Sanctioned estimate.

Ref:- From the PEO. Mangalore rep. C. M
735/54B dated 24-6-54

It is observed that the rates for items
work for the estimate sanctioned in the
ref. cited, have been enhanced by 20%
all round on the basis of such provisio
in the Standard schedule of rates for works
certain specified roads. As it is
Controversial whether this enhancement Con
all works in the area served by the Specifi
roads or for works in these roads only an
as this matter has been referred to the S.
PWD. Coimbatore Circle for clarification
the PEO is requested to see that no pay-
ment is now made which may become
recoverable at a later date.

It should be noted that even if the
extra rate apply in this case, such enhan
-cement for Conveyance of materials should
be only for such conveyance through th
bit of the Specified road and in this
instance is only from the 6th mile to the 9th
mile on the Mudabidri-Karaie road
and not for the entire length from Mangalor

rate-notes in the data should also be rectified

2) The cost of Conveyance of 100 cft of cement through 22 miles of metalled road and 9 miles of unmetalled road will be (Rs 25-12-6 + Rs 34-0-0 + Rs 18-0-0 + Rs 3. 7. 2) or Rs 81. 3. 8 only and not Rs 98-11-6 as adopted. Since the last 9 miles runs through an unmetalled road as well as cart-track requiring transhipment, the rate of Conveyance through this distance should be at Re 1-0-0 per half mile plus a fifth extra permissible for unmetalled and cart-tracks.

3) In as much as it is clear from the above that an unmetalled road leads to the Site of bridge, it is not clear why sand should be Conveyed by head loads through a dis of 1 mile at a great cost. The site for obtaining the requires sand may be chosen and fixed Correctly, so as to provide for reduction of Conveyance.

---

3) Pointing of masonry in mortar is not necessary. As the masonry in this case is only random rubble in cement mortar, simultaneous flush pointing is all that is necessary and the extra sum should be spent on pointing.

4) The rate for Country wood brought and put up allows for an average rate of cost of wood between large and small scantlings. But the labour allowed is for large scantlings

Since, out of the 88 cu. feet of wood work required, only the beams to the extent of 31.50 cft are large scantlings. while all the rest is only small. pieces Hence the quantity of work of the 2 categories should be separated and the relevant rates only paid

5) As coal tar is not a local material and as the cost of tar is the local market rate, no enhancement on this is to be allowed, even if the work enhancement applies to this work generally.

6) The P.E.O. is requested to note that all communications addressed to Govt maybe typed on white paper but not to impress maybe easily Visible

C.F. 32) —70,10,558—20-1-54.

15

Department	Received Registered
From (Name) Sri. H. Narasimha,	To
Designation Project Executive Officer	The Director Community Projects & Ex. Officio Addl. Secretary
Station South Kanara, Mangalore.	Government,

ASSISTANT SECRETARY TO GOVERNMENT (1) 25 AUG 1954 1070 PUBLIC DEPT.

Enclosures: Ref. No. 725/54-B. dated 17-8-1954. 195 .

Sir,

Community Projects--South Kanara--Block II--Communications--Construction of a foot bridge at Arahi in Kalenadi Sanctioned estimate--further report--Submitted.

Ref: Govt. Memo No.91265 Agri. D.VI/54-1 dated 8-7-54.

The defects pointed in the above cited Govt. Memo have been attended to by the Assistant Engineer (C.P.). A copy of Assistant Engineer's letter No.725-B dated 28-8-1954 is enclosed herewith.

A fresh data sheet and a copy of the corrected abstract of the estimate are also enclosed herewith. Payment to the beneficiary will be made as per the rates now worked out.

Instructions contained in para 6 of the Government Memorandum noted.

Yours faithfully,

Project Executive Officer.

Pub (RDP VII)

May be lodged and added to Go Pt. 410 Pub(RDP)dt 20-7.

6.9.54

7/9/54

Copy of letter No.715-T dated 2-8-1954 from the Asst. Engineer Mangalore, to the Project Executive Officer, Mangalore.

Sub : Community Projects--South Canara--Block II--Communication--Construction of a foot bridge at Arbi in Valpady village.

Ref: 1.Memorandum No.91265 Agri.D.VI/54-1 dated 2-7-1954.
2.P.E.O's Ref.735/54-B dated 19-7-1954.

--

The Superintending Engineer, Coimbatore has approved an enhanced rate of 20% extra for all categories of works in the area served by the roads under Note 3 in para 1 of the Printed Schedule of rates in No.9307 dated 10-7-1954. Therefore 20% extra has been provided for the labour, conveyance and local materials available in the area.

Fresh data has been worked out for all the items and a copy of the data and abstract is enclosed. The remarks passed by the Accounts and Special Officer have also been attended to. Regarding the rate for conveyance of cement from Mangalore, the actual rate works out to Rs.102-8-9 and not Rs.91-2-9 as stated in para 1. One mile of head load for the cement has to be given since the bridge site is one mile far off from the road side. This was omitted in the data originally worked out.

Para 2: Sand has to be conveyed by 1½ miles Cart Track and 1 mile head load. Hence, no corrections are required.

It is stated that pointing random rubble masonry is not necessary and this work can be carried out simultaneously while construction is going on. But raised pointing is found essential for masonry in bridge work where there is strong current in the stream. The Divisional Engineer (Highways) Mangalore insisting C.R.Masonry 2nd sort for this type of work, but to reduce the cost only R.R. Masonry was provided in the estimate. The Divisional Engineer (Highways) is also of the opinion that pointing is necessary. Moreover the work has already been completed and therefore the beneficiary has to be paid for the work done.

Para 4: Separate rate is worked out now for country wood wrought and put up for large and small scantlings.

Para 5: No extra 20% is allowed now over the cost of coal tar.

A fresh draft agreement is also drawn up and enclosed herewith. The original agreement may be cancelled and fresh agreement may be executed. The work will be measured and paid for the rates now worked out and as per the agreement and

Data sheet to accompany the estimate for Construct a foot bridge at Arbi in Velapady vil

Quantity.	Description of work.	Rate. Rs.	A.	P.	Per	Amount. Rs.	A.	P.
	1) Earthwork excavation in all soils except rock requiring blasting with in initial lead and lift & filling in sides of foundation							
1000cft	@ 8s per S.D. 15B	21	6	0	1000cft	21	6	0
	add 20% extra for unhealthy locality					4	4	5
						25	10	5
	2) cement mortar 1:4	100cft			S.D.(45C)			
100cft	sand cost	2	8	0	100cft	2	8	0
do	20% extra					0	8	0
	lead 1½ m.c.t. 1 M.H.L					3	0	0
	1½ M.C.T. 11.4-0							
	1 M.H.L 21.6-0							
	32.10.0							
	add 20% extra 6.8.5							
	39.2.5							
	∴	39	2	5	100cft	39	2	5
25cft	cement cost	87	8	0	25cft	87	8	0
do	lead 5 M.H.R 25.12.6							
	17 M.H.M.R 34-0-0							
	6 M.C.T. 12-0-0							
	20% extra 2.6.5							
	3 M.C.T. 6-0-0							
	add 40% extra 2.6.5							
	82.9.4							
	add 1 M.H.L including 20% 25.10.5							
	108.3.9	108	3	9	100cft	27	0	11
80 cft	mixing mortar	4	8	0	"	4	8	0
	add 20% extra					0	14	5
LS.	Sundries						2	3
						162	4	0
	3) Concrete broken stone in C.M. 1:4 : 8 (10							
92cft	Broken granite metal 1½" B.S.S. gauge	23	0	0	100cft	21	2	7
	add 20% extra					4	3	8
46cft	cement mortar 1:4	162	4	0	"	74	10	2
½ no	mason 2nd class ~~mazdoor~~	2	12	0	each	1	6	0
5 nos	man mazdoor	1	8	0	"	7	8	0
4 nos	woman mazdoor	0	12	0	"	3	4	0
92cft	Stone lead 2 F H.L	6	14	0	"	6	5	2
	add 20% extra 19.7.2					3	11	0
LS.	Sundries						5	5
						122	8	0
	Random Rubble masonry in C.M. 1:4 : 100cft. S.D. 002.							
10cft	Rough Stone	16	0	0	100cft	17	9	7
"	do lead 2 mazdoor	6	14	0		7	9	0
	add 20% extra for cost and land					5	0	6
						30	3	1

P.W.D. V–39—57,603—4-4-51.

Data sheet to accompany the estimate for_____

Quantity.	Description of work.	Rate. Rs.	A.	P.	Per	Amount. Rs.	A.	P.	Total.
		B.F.				30	3	1	
346 cft	cement mortar 1:4	162	4	0	100 cft	55	2	8	
5 nos	masons 2nd class	2	12	0	each	13	12	0	
4 nos	man mazdoors	1	8	0	"	6	0	0	
4 nos	Woman mazdoor	0	13	0	"	3	4	0	
add	20% extra on labour					4	9	7	
	Sundries 23-0-0 / 5						0	8	
						113	0	0	/ 100 c
	~~Rainstar lime~~ Pointing with cement 1:4 for Random Rubble masonry wor								
3 cft	cement mortar 1:4	162	4	0	100 cft	4	13	11	
1½ nos	Brick layer 2nd class	2	12	0	each	4	2	0	
½ no	man mazdoor	1	8	0	"	0	12	0	
1 no	woman mazdoor	0	13	0	"	0	13	0	
	add 20% extra on labour 5 / 15 · 11 · 0 / 5					1	2	2	
	Sundries						0	11	
						11	12	0	/ 100
	Rough Dry Stone ~~Rough~~ dry packing for a pavement 100 cft								
110 cft	Rough Stone	16	0	0	100 cft	17	9	7	
do	~~hand~~ 2 F.H.L	6	14	0	"	7	9	0	
	add 20% extra					5	0	6	
1 no	Wedder	3	0	0	each	30	3	1	
8 nos	man mazdoor	1	8	0	"	3			
2 nos	Woman mazdoor	0	12	0		4	8	0	
	add 20% extra on labour 9 · 2 · 0 / 5					1	10	0	
	Sundries					1	13	2	
							3	9	
						41	6	0	/ 100 cft
	Best country wood (Kind bogi) roughly and put up in long seam lengths								
14 cft	country wood cost	7	4	0	cft	7	4	0	
½ no	carpenter 1st class	3	6	0	each	1	11	0	
1 no	woman mazdoor	0	8	0	"	1	8	0	
	add 20% extra on labour only 3-3-0 / 5					0	10	2	
	Sundries								
	Best Country wood worked and put up in small seam lengths								
14 cft	cost add 20% extra	7	0	0	cft	7	8	5	
½ no	carpenter	3	6	0	each	1	11	0	
½ no	man mazdoor	1	4	0	"	0	6	0	
	add 20% extra on labour only 2-1-0 / 5					0	6	7	
	Sundries								
						9	12	0	/ 14 cft
									11 · 4 · 4

P.W.D. V-39—57,603—4-4-51.

Data sheet to accompany the estimate for _____

Quantity.	Description of work.	Rate.	Per	Amount.	Total
		RS. A. P.		RS. A. P.	
	Tarring with coal tar 2 coats @ 100 sq ft				
1/2 lb	coal tar cost	0 6 0	1 lb	2 2 0	
1/2 m	man mazdoor	1 8 0	1 day	2 4 0	
	add 20% on labour			0 7 2	
LS	Sundries including brushes etc			2 0 0	
				5 0 0	1 10
	Supplying and fixing holding down bolts 2 ft long made of 3/4" Ø rod.				
ea	with Holding down bolts	3 8 0	each	3 8 0	4
	Benching granite Rock up to 4" deep				
1 Sq ft	S D - 20	1 4 0	1 Sq ft	1 4 0	
	add 20% extra			0 4 0	
				1 8 0	

Lead statement.

Sand 1 1/2 mile CT. & 1 mile Headload

Granite slab & metal } 2 F. H. L.

Cement 22 M.M.R. 9 M.C.T. 1 mile

certified that the lead provided in the data are correct to the best of my knowledge

Kanara
30.7.1954
Supervisor of Mangalore.

L. A. Gomes
2/8/54
AE CP.

Technically sanctioned.

Sd. A. Gaffoor.
18.6.1984
Assistant Engineer

Estimate No. 43/84-85.

Estimate Rs 3700/-
Contribution Rs 925/-
Sanction Rs 2775/-

Sanctioned Rs (2775/-)
Two Thousand Seven hundred and seventy five only.

Sd. M Sarashima.
24.6.84.
Project Executive Officer
Community Projects
Mangalore

Note file

Sub:- Cls. S. Kanara Area - Block II - Communications - Construction of a foot bridge at Arabi in Valpady Village Sanctioned estimate

Please see the proceedings of the PEO Mangalore at pl cf., sanctioning an expenditure of Rs 2775/- out of an estimate for Rs 3700/- for Constructing a foot bridge at Arabi in Valpady Village. The work is reported to have been approved by the Project Executive Committee, though not included in the approved overall programme.

The estimate approved by the AE adopts rates for all items of work with an enhancement by 20%, as being covered governed by the special enhancement provided in the Standard Schedule of rates. The latter lists out 57 lists of roads in the district, works on which are eligible for an enhancement of rates by 20%. This may normally mean enhancement of rates for works on these stretches of roads only and not for works in localities served by these roads, since the special provision should have specifically stated that the enhancement was for all works in the areas served by these roads to convey such an intention. The matter has however been referred to the Supg Engineer PWD Coimbatore Circle in another case, for clarification. Hence the PEO may be asked to limit payment, in the first instance at the normal rates only.

Apart from the above aspect the rates worked out have be

exaggerated and require Correction. These may also be
sent out to the PEO.

A ~~detailed~~ self explanatory draft memo is put up for Approval

16/7/54

8/7/54

Issued as memo No - 9126 - Agt. DE II/54-1 pp 11-13 ✓

8/7/54

To A.S.O.

The memo at pp 11-13 has been issued. It appears that ~~there~~ is no need to await any reply from the PEO., Bangalore. The papers may perhaps be recorded as a G.O. with a C.B. for 8 months

17.7.54

19/7/54.

19/7/54

P.I. noted.

20/7/54.

~~Memo~~ ~~Technical~~ Sub R

G.O.Rt.No. 410 dated 20

CP - S. Kanara Rr. A

Block II - Communica

Construction of a foot br

Arabi in Valpady villa

Estimate Sanctioned by

PEO Bangalore for Rs 775

Papers recorded.

9/7/54